

ARO Plank 5

Architecture Research Office Collection



spinneybeck


About



ARO Plank 5 draws inspiration from the clapboard siding at Architecture Research Office's Martha's Vineyard House and enables customization across large areas with the simple combination of a few standard components. The three modules of Wide, Narrow A, and Narrow B are chamfered and set at varying depths to cast compelling, evolving shadows. Their horizontality and depth are accentuated by the texture of the leather-wrapped PET substrate. Planks install quickly and easily with Spinneybeck's Interlock Mounting System and are available in wide range of leather qualities and colors.




About



1 Plank Elevations and Section Profiles

Scale: 1/2" = 1'-0"


About



2 Exploded Axonometric
Scale: 1/2" = 1'-0"

Standard Configurations

Plank 5



Pattern Repeat Height: 9'-2" (280 cm)
Pattern Repeat Width: 23'-3" (Full repeat width not shown)

Specifications

Name	ARO Plank 5
Designer	Architecture Research Office
Content	European cowhide, PET substrate + Plywood
Standard Configurations	Plank 4.1, Plank 4.2, Plank 4.3, Plank 4.4
Plank Widths	A: 7'-9" (236 cm) x 3 1/2" (9 cm) x 1 1/4" (3.2 cm) B: 5'-2" (157 cm) x 2" (5 cm) x 1 1/4" (3.2 cm) C: 5'-2" (157 cm) x 2" (5 cm) x 3/4" (1.9 cm) D: 2'-7" (79 cm) x 2" (5 cm) x 1 1/4" (3.2 cm) E: 2'-7" (79 cm) x 2" (5 cm) x 3/4" (1.9 cm)
Repeat Width	23'-3" (7.1 m)
Repeat Height	9'-2" (2.8 m)
Leather Types	AD, AL, AQ, AU, CA, CO, CV, DE, DL, DT, DV, ES, ET, FE, HT, LC, LU, MA, MM, PT, RA, RU, SA, SL, SS, UM, VO, VP, VZ
Components	Includes planks + Interlock Mounting System (wall screws not included)
Maintenance	For finished leathers, wipe with a cool, damp cloth. For tougher soiling, use a pH-balanced soap and rinse. Repeat, if needed. For naked (aniline) leathers, wipe entire surface with a soft cloth and cool water to even out any abrasions or stains. Do not spot rub, for it will darken only that area. Other leather cleaners such as saddle soap or household cleaners that may contain harsh chemicals, alcohol or ink removers should never be used.
Lead Time	Made to order and certain lead times will apply
Custom	Custom configurations are available
Standard Colors	Refer to Color Book for available colors