

ARO Plank 7

Leather Wall System

spinneybeck



ARO Plank 7 goes above and beyond.


ARO Plank 7 enables customization by switching up standard colors and a few standard components. Choose from oodles of leather qualities in hundreds of colors for each of three distinct modules to make a wall installation that's all your own.

ARO Plank 7 was designed by Architecture Research Office (ARO), a firm dedicated to architecture that unites beauty and form with strategy and intelligence.




“We strive to convey a sense of calm, warmth, and joy in our product designs as well as through the architecture we design. We take inspiration from both material expression and functionality. We work to elevate spaces through careful attention to detail and use, and to emphasize the responsible use of materials and seek to balance beauty and strategy through design, pattern and texture.”

– Architecture Research Office, designers of ARO Plank 7



Exploded Axonometric



Plank C are recessed

ARO Plank 7.1

















Pattern Repeat Width: 7'-5 3/4" (228.0 cm)

Pattern Repeat Height: 11 in (27.9 cm)

Pattern is shown as suggested installation and may be configured with any combination of Spinneybeck colors

Product	ARO Plank 7
Designer	Architecture Research Office
Content	European cowhide + Akustika 10 substrate (60% post-consumer recycled content)
Plank Sizes	A: 5'-6" x 3 1/2" x 1 1/4" (167.6 x 8.9 x 3.2 cm) B: 2'-7" x 2" x 1 1/4" (78.7 x 5.1 cm x 3.2 cm) C: 2" x 2" x 3/4" (5.1 x 5.1 x 1.9 cm)
Thickness	2 in (50.8 mm) (includes Interlock Mounting System strapping)
Suggested Pattern	ARO Plank 7.1
Pattern Repeat Size	7'-5 3/4" x 11" (228.0 x 27.9 cm)
Custom	Alternative patterns, FilzFelt® felts, plank lengths beyond 9'-0" (2.74 m), orientations other than vertical, ceiling-mounted, finished plank ends, finished Interlock Mounting System strapping, and cut-outs are available and must be quoted—details available upon request
Durability	Contract or residential
Lead Time	Made to order and certain lead times will apply
Installation	Planks install with Interlock Mounting System provided (wall fasteners not included)
Maintenance	For finished leathers, wipe with a cool, damp cloth. For tougher soiling, use a pH-balanced soap such as Dawn with a 1:10 ratio of soap to water and rinse. Repeat, if needed. Occasional use of Spinneybeck Finished Leather Cleaner, Conditioner & Protector is recommended. For naked (aniline) leathers, wipe entire surface with a soft cloth and cool water to even out any abrasions or stains. Do not spot rub, for it will darken only that area. Occasional use of Spinneybeck Aniline Leather Cleaner, Conditioner & Protector is recommended. Other leather cleaners such as saddle soap or household cleaners that may contain harsh chemicals, alcohol or ink removers should never be used.
Variation	Color variation of naked leathers may be more pronounced beyond the normal commercial range. A Cutting for Approval (CFA) is required for all orders.

Standard Leathers	Available in full color range of each leather below—refer to Color Book or spinneybeck.com/colorbook for complete color selection. (Swatches shown to indicate grain texture only.)
--------------------------	---

						
Acqua (AU)	Alaska (AL)	Amalfi (AF)	Andes (AD)	Antique (AQ)	Cascia (CA)	Cervo (CV)
						
Copenhagen (CO)	Derby (DE)	Distressed (DT)	Ducale Velour (DV)	Embossed Tipped (ET)	España (ES)	Forte (FE)
						
Hand Tipped (HT)	Lucca (LC)	Lucente (LU)	Maremma (MM)	Portofino (PT)	Riva (RA)	Rugata (RU)
						
Sabrina (SA)	Saddle (SL)	Umbria (UM)	Velluto Pelle (VP)	Vicenza (VZ)	Volo (VO)	