





Amalfi proves that luxe leather can be cleanable too. Amalfi is not your ordinary corrected grain leather. Created with a unique blend of tannins, Amalfi provides a full suppleness of hand unsurpassed by any other corrected grain leather. Produced from Northern Italian and Swiss hides, the combination of the original tannage, retannange that includes an integral water resistant treatment, plus a smooth tight grain enhancement results in a durable and economical leather that features characteristics found in a high end luxury upholstery leather. Amalfi also exhibits a strong abrasion resistant finish which makes this luxurious leather practical for applications in high traffic areas and health care settings.

The Amalfi color palette was conceived by Nina Bruun, an accomplished designer, trend spotter, and consultant based in Copenhagen, Denmark.





## **Designer Colorways**

Nina Bruun curated Amalfi's nature-inspired color palette that allows the material's inherent qualities to shine while balancing a mix of timeless and trending colors.

### Luxuriously Supple

This smooth grain leather has an incredibly supple and luxe hand unsurpassed by any other corrected grain leathers.

## Unexpectedly Cleanable

Amalfi has cleanability one may not expect from natural leather. This luxurious leather is water resistant and bleach cleanable with a 10:1 diluted bleach formula.

### Up for Anything

This versatile and durable leather can be used for a wide range of end uses including automotive, contract, healthcare, hospitality, marine, and residential.





"I did a lot of the colorwork in the most northern part of Denmark, an area known for its picturesque scenery and light. It's a place that painters and artists have been drawn to for many years. The Skagen painters, in particular, are famous for their work in the area."

- Nina Bruun, designer of Amalfi color palette



Product	Amalfi (AF)				
Content	European cowhide				
Origin	Italy				
Hide Size	50–55 sq ft (4.6–5.1 sq m)				
Thickness	0.9–1.0 mm				
Weight	2.25–2.5 oz / sq ft (687–763 g / sq m)				
Grain	Corrected				
Grain Texture	Smooth, tight				
Tannage	Chrome				
Dye	Aniline				
Finish	Medium, water resistant				
Primary Uses	Upholstery, handrails, rugs, wall panels, architectural applications				
Industry	Automotive, contract, healthcare, hospitality, marine, residential				
Maintenance	Wipe with a cool, damp cloth. For tougher soiling, use a pH-balanced soap and rinse. Repeat, if needed. Occasional use of Spinneybeck Finished Leather Cleaner, Conditioner & Protector is recommended. A diluted bleach solution with a 1 to 10 ratio of bleach to water can be used. Other leather cleaners such as saddle soap or household cleaners that may contain harsh chemicals, alcohol or ink removers should never be used on Amalfi.				
Custom	Custom colors available				
Special Services	Flame treatment and perforated available with an upcharge				
Colorfastness to Light	Class 5				
Colorfastness to Crocking	Class 4 (dry), Class 4 (wet)				
Flammability Durability + Strength	ASTM E 84: Class A (flame treated) Boston Fire Dept BFD IX-1: Pass (flame treated) BS EN1021 (Part I and Part II): Pass BS 5852 Crib 5 and Crib 7: Pass (flame treated) CAL 117: Pass CAL 133: Successfully used in CAL 133 applications with Firegard F187 fire backer material or equivalent (flame treated) Cigarette Ignition Resistance NFPA 260: Class 1 FAR 25.853(a) 60 sec vertical burn, 12 sec vertical burn. Oil burner-fire block: Pass (flame treated) IMO Resolution A.652(16): Pass (Flame Treatment) NF P 95 512 1986 (Electric Burner Test): Class M1 (flame treated) Abrasion ASTM D 7255: 1,000+ cycles (CS10 wheels) Breaking Force ASTM D 2208: 158 lb				
Healthcare	Elongation ASTM D 2211: 30–50% at 50 lb Flex ASTM D 2097: 70,000 flexes Tearing Strength ASTM D 4705: 20.5 lb AATCC Test Method 100 Antibacterial Finishes: Staphylococcus Aureus: 99.99% reduction of bacteria, Klebisiella pneumoniae: 99.99% reduction of bacteria				



# **Standard Colors**

AF 2609	AF 2610	AF 2608	AF 2607	AF 2611	AF 2612	AF 2613	AF 2614
AF 2615	AF 2616	AF 2619	AF 2617	AF 2618	AF 2620	AF 2621	AF 2622
AF 2623	AF 2624	AF 2601	AF 2602	AF 2605	AF 2606	AF 2603	AF 2604
AF 2625	AF 2626	AF BLCK					

