



Cervo

Upholstery Leather

spinneybeck




Cervo has a luxurious hand.


In Italian, the word Cervo translates to “deer.” This word personifies the luxurious hand that approximates the suppleness of deerskin. The unique tannage and specialized softening create a pronounced pebble grain characteristic in premium hides originating from Scandinavia. A blend of the finest quality aniline dyes provides excellent lightfastness properties for a naked leather, surpassing industry standards. Cervo also receives a greater saturation and dye enrichment than ordinary upholstery leathers.

Product	Cervo (CV)
Content	European cowhide
Origin	Italy
Hide Size	50–55 sq ft (4.6–5.1 sq m)
Thickness	1.4–1.6 mm
Weight	3.5–4.0 oz / sq ft (1068–1221 g / sq m)
Grain	Full
Grain Texture	Raised pebble
Tannage	Chrome
Dye	Aniline
Finish	Very light
Primary Uses	Upholstery, handrails, wall panels, architectural applications
Industry	Contract, hospitality, marine, residential
Maintenance	Wipe entire surface with a soft cloth and cool water to even out any abrasions or stains. Do not spot rub, for it will darken only that area. Occasional use of Spinneybeck Aniline Leather Cleaner, Conditioner & Protector is recommended. Other leather cleaners such as saddle soap or household cleaners that may contain harsh chemicals, alcohol or ink removers should never be used.
Custom	Custom colors available on a select basis
Special Services	Perforated available with an upcharge
Variation	Class 3
Colorfastness to Light	Class 4 (dry)
Colorfastness to Crocking	Class 2–3 (dry)
Flammability	BS EN1021 (Part I and Part II): Pass CAL 117: Pass CAL 133: Successfully used in CAL 133 applications with Firegard F187 fire backer material or equivalent Cigarette Ignition Resistance NFPA 260: Class 1
Durability + Strength	Abrasion ASTM D 7255: n/a Breaking Force ASTM D 2208: 500 lb Elongation ASTM D 2211: 30–50% at 50 lb Flex ASTM D 2097: n/a Tearing Strength ASTM D 4705: 50 lb


Standard Colors




CV 0040




CV 0042




CV 0043




CV 0044



CV 0048



CV 0050



CV BLACK