

Still is quietly straightforward.

Still keeps things simple while maximizing sound absorption. These flat panels come in three patterns with seven wood types and two finishes to provide a wide range of options. Constructed of Dukta Flexible Wood facing over an acoustic box with fleece infill, these unexpected acoustic panels provide an NRC of 0.75 to add natural texture with optimum performance.

Still was designed by Bernd Benninghoff, a furniture designer and interior architect based in Mainz, Germany.








"My goal is to develop products that are easy to manufacture and to install - but at the same time generate a strong threedimensional surface that creates a warm atmosphere and plays with light and shadow."

- Bernd Benninghoff, designer of Still



Foli Flexible Wood will have 5/16-3/8 in (8-10 mm) solid border on left and right edges

Product	Still
Designer	Bernd Benninghoff
Content	Flexible Wood + Akustika 10 Substrate (60% post-consumer recycled content)
Panel Size	3'-5" x 7'-10 3/4" (104.1 x 240.7 cm)
Thickness	2 in (5.0 cm) (includes Z-Clips)
Wood Open Area	Foli: 15–25% Linar + Sonar: 20–40%
Vertical Border	Foli Flexible Wood will have 5/16–3/8 in (8–10 mm) solid border on left and right edges
Custom	Custom sizes must be quoted
Durability	Contract or residential
Lead Time	Made to order and certain lead times will apply
Installation	Install in the pattern as specified and attach to a wall surface with Z-Clips provided (wall screws not included). Refer to Still Installation Instructions for complete guidance.
Maintenance	Dust regularly. Spot clean with cloth dampened with water only.
Variation	Wood is a natural material and minor changes in color are evidence of the 100% natural origin of the material. Please note that walnut will exhibit more conspicuous variation and finished woods may have a more pronounced grain.
Environmental	Akustika 10 contains minimum 60% post-consumer recycled content and is 100% recyclable Akustika 10 contributes to LEED©
Acoustics	ASTM C 423: NRC - 0.75, SAA - 0.73
Flammability	Test reports available upon request

Standard Colors

Dukta Flexible Wood



Baltic Birch Plywood



Baltic Birch Plywood



White Pine



White Pine Finished



Douglas Fir



Douglas Fir



Walnut Natural



Walnut Finished



Foli Standard MDF Natural



Standard MDF Finished



Grey MDF Natural



Foli Grey MDF Finished



Foli Black MDF Natural



Black MDF Finished



Linar Baltic Birch Plywood Natural



Baltic Birch Plywood Finished



Linar White Pine Natural



White Pine Finished



Linar Douglas Fir Natural



Linar Douglas Fir Finished



Linar Walnut Natural



Linar Walnut Finished



Linar Standard MDF Natural



Linar Standard MDF Finished



Linar Grey MDF



Linar Grey MDF



Linar Black MDF



Linar Black MDF Finished



Baltic Birch Plywood



Baltic Birch Plywood Finished



Natural





Douglas Fir Natural

Black MDF

Natural



Sonar Douglas Fir Finished

Black MDF

Finished



Sonar Walnut Natural



Sonar Walnut Finished



Sonar Standard MDF Natural



Sonar Standard MDF Finished



Sonar Grey MDF Natural



Sonar Grey MDF Finished

Akustika 10 Substrate



Dark Grey